





ISSN: 2198-4093 www.bmrat.org

POSTER



Biomimetic release of growth factor from porous beads for enhanced bone

regeneration

Ho Yong Kim, June-Ho Byun, Jin Ho Lee, and Se Heang Oh

Department of Nanobiomedical Science, Dankook University dongnam-gu dandaero 119 Cheonan, chungcheongnam-do 31116, South Korea

Abstract

Three dimensional scaffolds which allow sustained release of bioactive molecules have been considered as an essential component for enhanced bone regeneration. In recent years, combination system of various bioactive molecules has been extensively investigated to reconstruct more sophisticated bone regeneration. It is well-known that if the certain bioactive molecules with appropriate dose and stimulation periods are applied to bone defect, the physiological processes in bone regeneration may be accelerated. However, many studies were not concerned stimulation periods of bioactive molecules occurred in body during new bone formation because of absence of proper release system for the bioactive molecules. In this study, we selected three bioactive molecules (PDGF-BB, VEGF, BMP-2) which widely used for effective bone healing, and developed a porous bead with leaf-stacked structure which can allow controlled release of growth factors by concentration and composition of Pluronics. The morphology, each growth factor release profiles, migration (boyden chamber assay), differentiation (tube formation, ICC, and RT-PCR), angiogenic differentiation (ALP activity, calcium deposition, alizarin/ALP staining, ICC, and RT-PCR) of human periosteum-derived cells and new bone formation of rat calvarial defect model by controlled release of growth factors were estimated

*For correspondence:

seheangoh@dankook.ac.kr

Competing interests: The authors declare that no competing interests exist.

Received: 2017-07-15 Accepted: 2017-08-04 Published: 2017-09-05

Copyright The Author(s) 2017. This article is published with open access by BioMedPress (BMP).

This article is distributed under the terms of the Creative Commons Attribution License (CC-BY 4.0) which permits any use, distribution, and reproduction in any medium, provided the original author(s) and the source are credited.

Keywords

Growth factor, biomimetic release, porous beads, osteogenic differentiation

Funding

This work was supported by a grant of the Korea Health Technology R&D Project through the Korea Health Industry Development Institute (KHIDI), founded by the Ministry of Health & Welfare, Republic of Korea (grant number: HI12C1596).

References